

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 3 of 13

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claim 1 (currently amended): A condition detection and display system, provided in traveling means that needs operation of a driver for traveling, for detecting a condition of the traveling means and surroundings around the traveling means and notifying the driver of detected condition of the traveling means and surroundings around the traveling means, the system comprising:

display means for displaying images showing the condition of the traveling means and the surroundings around the traveling means, and a speedometer that gives readouts on speed of the traveling means;

means for detecting widths of roads around the traveling means, which is a vehicle; and  
means for detecting a direction of a front end of the traveling means with respect to a  
widest road among the roads around the traveling means; wherein:

the images showing the condition of the traveling means, and the surroundings around  
the traveling means are displayed at a position close to the speedometer, and the image of the  
speedometer are displayed in such a manner that the images showing the condition of the  
traveling means and the surroundings around the traveling means are directly adjacent to the  
image of the speedometer without any element between the images showing the condition of

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 4 of 13

the traveling means and the surroundings around the traveling means and the image of the speedometer;

the images showing the condition of the traveling means and the surroundings around the traveling means, contains an image of the traveling means; and

in accordance with the direction of the front end of the traveling means with respect to the widest road, a direction of the image of the traveling means is changed.

Claim 2 (original): The condition detection and display system according to claim 1, wherein:

the speedometer is displayed around a periphery or a part of the periphery of the images showing the condition of the traveling means and the surroundings around the traveling means.

Claim 3 (canceled).

Claim 4 (currently amended): The condition detection and display system according to claim 3, further comprising:

direction detecting means for detecting a direction of a front end of the traveling means, wherein:

on a basis of a detection result obtained by the direction detecting means, a direction of the image of the traveling means is changed.

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 5 of 13

Claim 5 (original): The condition detection and display system according to claim 1,  
wherein:

the traveling means includes tires that transfer a drive force to a ground, and pneumatic  
pressure detecting means for detecting air pressure in the tires,

wherein:

if the air pressure in the tires is equal to or lower than a predetermined value, an image  
for notifying the driver of decrease in air pressure in the tires is displayed.

Claim 6 (currently amended): The condition detection and display system according to  
claim 1, further comprising:

distance detecting means for detecting a distance between the traveling means and  
another object; and

means for grasping a shape of the other object,

wherein:

if there is an object approaching the traveling means at a distance equal to or less than a  
predetermined value from the traveling means, an image corresponding to the shape of the  
object is displayed.

Claim 7 (currently amended): The condition detection and display system according to  
claim 1, further comprising:

relative speed detecting means for detecting a relative speed of another object relative  
to the traveling means; and

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 6 of 13

means for grasping a shape of the other object,

wherein:

if there is an object approaching the traveling means at a relative speed equal to or  
~~lower~~ higher than a predetermined value, an image corresponding to the shape of the object is displayed.

Claim 8 (previously presented): The condition detection and display system according to claim 6, wherein:

the predetermined value varies depending upon a speed of the traveling means and/or a direction where the other object is located with respect to the traveling means.

Claim 9 (currently amended): The condition detection and display system according to claim 1, further comprising:

communications means for receiving Intelligent Transport System (ITS) information, wherein:

if the received ITS information contains information on surroundings around the traveling means, an image showing the surroundings around the traveling means, in accordance with the ITS information, is displayed at the position close to the speedometer.

Claim 10 (original): The condition detection and display system according to claim 1, further comprising:

means for detecting whether the traveling means is moving,

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 7 of 13

wherein:

the images showing the condition of the traveling means and the surroundings around the traveling means are different depending upon a detection result obtained by the means for detecting whether the traveling means is moving.

Claim 11 (original): The condition detection and display system according to claim 1, further comprising:

means for detecting a road marking marked on the road on which the traveling means, which is a vehicle, is moving,

wherein:

a detected road marking is displayed as the image showing the surroundings around the traveling means.

Claim 12 (original): The condition detection and display system according to claim 11, further comprising:

means for detecting a direction of a front end of the traveling means with respect to the road marking,

wherein:

the images showing the condition of the traveling means and the surroundings around the traveling means contain an image of the traveling means, and

a direction of the image of the traveling means is changed in accordance with the direction of the front end of the traveling means with respect to the road marking.

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 8 of 13

Claim 13 (canceled).

Claim 14 (previously presented): The condition detection and display system according to claim 1, wherein:

the images showing the condition of the traveling means and the surroundings around the traveling means are graphic images.

Claim 15 (original): The condition detection and display system according to claim 14, wherein:

the graphic images are able to be changed.

Claim 16 (original): The condition detection and display system according to claim 15, further comprising:

an interface for receiving an instruction to change the graphic image.

Claim 17 (original): The condition detection and display system according to claim 1, wherein:

the traveling means includes an engine as driving means, and means for detecting an instruction to start the engine,

wherein:

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 9 of 13

the images showing the condition of the traveling means and the surroundings around the traveling means are displayed in synchronization with the instruction to start the engine.

Claim 18 (currently amended): A condition detection and display method, in traveling means that needs operation of a driver for traveling, for detecting a condition of the traveling means and surroundings around the traveling means and notifying the driver of detected condition of the traveling means and surroundings around the traveling means, comprising:

means for detecting widths of roads around the traveling means, which is a vehicle; and  
means for detecting a direction of a front end of the traveling means with respect to a  
widest road among the roads around the traveling means; wherein:

images showing the condition of the traveling means, and the surroundings around the traveling means are displayed at a position close to a speedometer, and the image of the  
speedometer are displayed in such a manner that the images showing the condition of the  
traveling means and the surroundings around the traveling means are directly adjacent to the  
image of the speedometer without any element between the images showing the condition of  
the traveling means and the surroundings around the traveling means and the image of the  
speedometer;

the images showing the condition of the traveling means and the surroundings around  
the traveling means, contains an image of the traveling means; and  
in accordance with the direction of the front end of the traveling means with respect to  
the widest road, a direction of the image of the traveling means is changed.

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 10 of 13

Claim 19 (currently amended): A tangible computer-readable storage medium storing a control program for a condition detection and display system, provided in traveling means that needs operation of a driver for traveling, for detecting a condition of the traveling means and surroundings around the traveling means and notifying the driver of detected condition of the traveling means and surroundings around the traveling means, the system comprising:

display means for displaying images showing the condition of the traveling means and the surroundings around the traveling means, and a speedometer that gives readouts on speed of the traveling means;

means for detecting widths of roads around the traveling means, which is a vehicle; and  
means for detecting a direction of a front end of the traveling means with respect to a widest road among the roads around the traveling means; wherein

the control program causing a computer to function as control means for controlling the display means to display the images showing the condition of the traveling means, and the surroundings around the traveling means at a position close to the speedometer, and the image of the speedometer are displayed in such a manner that the images showing the condition of the traveling means and the surroundings around the traveling means are directly adjacent to the image of the speedometer without any element between the images showing the condition of the traveling means and the surroundings around the traveling means and the image of the speedometer;

the images showing the condition of the traveling means and the surroundings around the traveling means, contains an image of the traveling means; and

Application No. 10/598,094

June 22, 2010

Reply to the Office Action dated March 29, 2010

Page 11 of 13

in accordance with the direction of the front end of the traveling means with respect to the widest road, a direction of the image of the traveling means is changed.

Claim 20 (canceled).